

WEST Search History

[Hide Items](#)
[Restore](#)
[Clear](#)
[Cancel](#)

DATE: Monday, February 16, 2004

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L17	L11 and L4	108
<input type="checkbox"/>	L16	L9 and L4	13
<input type="checkbox"/>	L15	L14 and L4	4
	<i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L14	L13 and user interface	52
<input type="checkbox"/>	L13	L11 and emulat\$	88
<input type="checkbox"/>	L12	L11 and L9	4
<input type="checkbox"/>	L11	layout information	1955
<input type="checkbox"/>	L10	L9 and GUI	21
<input type="checkbox"/>	L9	styl\$ near render\$	156
<input type="checkbox"/>	L8	L6 and render\$	17
	<i>DB=JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L7	(device near character\$) and (GUI or (application near interface))	6
	<i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L6	L5 and emulat\$	103
<input type="checkbox"/>	L5	(device near character\$) and (GUI or (application near interface))	584
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L4	L3 or l2 or l1	3565
<input type="checkbox"/>	L3	715/517-525.ccls.	791
<input type="checkbox"/>	L2	345/733-747.ccls.	1509
<input type="checkbox"/>	L1	717/110-117,134-139.ccls.	1282

END OF SEARCH HISTORY

Hit List

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 4 of 4 returned.

☐ 1. Document ID: US 20040015893 A1

L15: Entry 1 of 4

File: PGPB

Jan 22, 2004

PGPUB-DOCUMENT-NUMBER: 20040015893

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040015893 A1

TITLE: Method and apparatus for synchronized previewing user-interface appearance on multiple platforms

PUBLICATION-DATE: January 22, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Banavar, Guruduth Somasekhara	Yorktown Heights	NY	US	
Bergman, Lawrence D.	Mt.Kisco	NY	US	
Kichkaylo, Tatiana	Jersey City	NJ	US	
Sussman, Jeremy	Mt.Kisco	NY	US	

US-CL-CURRENT: 717/138; 717/105, 717/113

ABSTRACT:

A method and structure for emulating on a single display platform an application's user interface as it would appear on each of a number of target devices, given a set of device characteristics for any device to be emulated and a formal description of one or more applications to be emulated. The method includes combining a selected one or more of the device characteristics and a selected one of the application formal descriptions and providing a simultaneous and consistent display representation for the selected application, so as to provide a stylized rendering of the selected application's interface in a uniform appearance and in which the selected application's interface for more than one target device can be simultaneously viewed. The method also synchronizes the display representation, so that a simultaneous update to all of the selected target device representations is updated when information in a device-independent portion of the formal description is changed.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw Desc	In
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	-----------	----

☐ 2. Document ID: US 20030056176 A1

L15: Entry 2 of 4

File: PGPB

Mar 20, 2003

PGPUB-DOCUMENT-NUMBER: 20030056176
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20030056176 A1

TITLE: Document processing method and apparatus, and print control method and apparatus

PUBLICATION-DATE: March 20, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Tanaka, Satoshi	Kanagawa		JP	
Kazumi, Kenichi	Kanagawa		JP	
Nara, Shigeo	Kanagawa		JP	
Mori, Yasuo	Kanagawa		JP	

US-CL-CURRENT: 715/522; 715/527

ABSTRACT:

Attributes can be set for an entire document, each chapter, and each page by using an entire document attribute, chapter attribute, and page attribute. When the print format of a chapter is set with a chapter attribute different from the entire document attribute, this chapter is printed in a print format complying with the chapter attribute. Similarly, when the print format of a page is set with a page attribute different from the entire document attribute or chapter attribute, this page is printed in the print format complying with the page attribute. In hierarchically displaying the document structure with a book, chapters, and pages, a predetermined icon is so added as to identify a chapter or page having a unique attribute.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw Desc	In
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	-----------	----

☐ 3. Document ID: US 20030020747 A1

L15: Entry 3 of 4

File: PGPB

Jan 30, 2003

PGPUB-DOCUMENT-NUMBER: 20030020747
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20030020747 A1

TITLE: User input peripheral device substitution for web commerce delivery

PUBLICATION-DATE: January 30, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Korala, Aravinda	Edinburgh		GB	

US-CL-CURRENT: 345/744; 345/746, 345/760

ABSTRACT:

Self-service kiosk software for use in submitting web forms intended for completion by one type of user input device not provided on the kiosk using an alternative input device. Typically, the kiosk recognized an identifying device, such as a credit or smart card, held by the user. Enables a web form requiring alphanumeric information such as a credit card number to be completed on a self-service kiosk lacking a keyboard and having a credit card reader instead.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw Desc	In
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	-----------	----

☐ 4. Document ID: US 20020069228 A1

L15: Entry 4 of 4

File: PGPB

Jun 6, 2002

PGPUB-DOCUMENT-NUMBER: 20020069228

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020069228 A1

TITLE: Print control method and apparatus

PUBLICATION-DATE: June 6, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Mori, Yasuo	Kanagawa		JP	
Nakagiri, Koji	Kanagawa		JP	
Nishikawa, Satoshi	Kanagawa		JP	

US-CL-CURRENT: 715/524; 715/517

ABSTRACT:

In printing a plurality of pages of print data on one paper sheet upon combining the pages, a print control apparatus inputs layout data for determining a layout of the respective pages, extracts a page data portion to be printed as a single page from the print data in accordance with the input layout data, holds the page data portion, and outputs print data generated from the held page data. In this apparatus, when paper sheets are folded to form printed matter with an appearance of a book, a plurality of print page data can be printed in each print area. The apparatus includes a designation unit for making designation with respect to layout data to combine and lay out a plurality of print data pages on one page of bound paper sheets on which printing is performed, and a generating unit for generating print data print data having a plurality of page data laid out on one page of the bound paper sheets in accordance with the layout data.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw Desc	In
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	-----------	----

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Terms

Documents

Display Format:

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)



[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

site:citeseer.nj.nec.com widget

Google Search

[Web](#) · [Images](#) · [Groups](#) · [Directory](#) · [News](#)

Searched pages from [citeseer.nj.nec.com](#) for **widget**.

Results **1 - 10** of about **1,520**. Search took **0.17** seconds.

The Graph **Widget** - Implementation Manual (ResearchIndex)

This document is assumed to have a good knowledge of the Xt toolkit and of the graph **widget** itself, as described in the manual pages XxGraph X and related ...
[citeseer.nj.nec.com/beaudouin-lafon92graph.html](#) - 18k - [Cached](#) - [Similar pages](#)

State Treemap: an Awareness **Widget** for Multi-Synchronous Groupware ...

State Treemap: an Awareness **Widget** for Multi-Synchronous Groupware (Make Corrections)
(3 citations) Pascal Molli, Hala Skaf-Molli, Christophe Bouthier. ...
[citeseer.nj.nec.com/molli01state.html](#) - 24k - [Cached](#) - [Similar pages](#)

Using Deformations to Explore 3D **Widget** Design - Snibbe, Herndon ...

Using Deformations to Explore 3D **Widget** Design (1992) (Make Corrections) (12 citations)
Scott S. Snibbe, Kenneth P. Herndon, Daniel C. Robbins, D. Brookshire ...
[citeseer.nj.nec.com/snibbe92using.html](#) - 21k - [Cached](#) - [Similar pages](#)

Message Passing Support in the Avalanche **Widget** - Swanson ...

Message Passing Support in the Avalanche **Widget** (1996) (Make Corrections) (4 citations)
Mark R. Swanson, Ravindra Kuramkote, Leigh B. Stoller, Terry Tateyama. ...
[citeseer.nj.nec.com/swanson96message.html](#) - 23k - [Cached](#) - [Similar pages](#)

The Effect of 3D **Widget** Representation and Simulated Surface ...

... has received increased attention recently. We introduce two new concepts to the previous techniques the use of D **widget** represe. ...
[citeseer.nj.nec.com/lindeman01effect.html](#) - 19k - [Cached](#) - [Similar pages](#)

Citations: modeling **widget** extension for tcl - Hsu, mesa ...

I. Hsu. Tksm a mesa/opengl 3d modeling **widget** extension for tcl 7.[45]/tk. ... I.
Hsu. Tksm a mesa/opengl 3d modeling **widget** extension for tcl 7.[45]/tk. ...
[citeseer.nj.nec.com/context/773427/0](#) - 7k - [Cached](#) - [Similar pages](#)

Graph **Widget**: A Tool for Automatic Data Visualization - Quaresma ...

A new X Windows object Graph **widget** will be presented. ... (Enter summary).
Abstract: A new X-Windows object – Graph **widget** – will be presented. ...
[citeseer.nj.nec.com/quaresma91graph.html](#) - 19k - [Cached](#) - [Similar pages](#)

Citations: Designing mega widgets in the Tix library - Lam ...

... programs grow larger. The Tix mega **widget** 3 package [7] has been used at TSL in the development of larger applications. The Tix ...
[citeseer.nj.nec.com/context/1510300/0](#) - 8k - [Cached](#) - [Similar pages](#)

The WINTERP **Widget** INTERPreter - An application prototyping and ...

The WINTERP **Widget** INTERPreter An application prototyping and extension environment for OSF/Motif (1990) (Make Corrections) Niels P. Mayer, Allan W. Shepherd ...
[citeseer.nj.nec.com/mayer90winterp.html](#) - 22k - [Cached](#) - [Similar pages](#)

Sponsored Links

Power Widgets

Advanced toolkit extensions for Java, Qt, and Motif.
[www.ICS.com](#)
Interest:

Widget at Amazon.com

Buy books at Amazon.com and save. Qualified orders over \$25 ship free
[Amazon.com/books](#)
Interest:

Product Photography

You ship it, we shoot it
Increase online sales fast
[www.widgetpics.com](#)
Interest:

[See your message here...](#)

A Tk OpenGL **widget** (ResearchIndex)

We present TkOGL, a Tk **widget** that enables the creation and display of D graphics using the OpenGL API. Our approach features a ...

citeseer.nj.nec.com/esperanca97tk.html - 17k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Google Search

[Search within results](#)

Dissatisfied with your search results? [Help us improve.](#)

Get the [Google Toolbar](#):



[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2004 Google



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: **[GUI<AND>((emulator<AND>(((widget)))))]**
Found **14** of **127,132** searched.

Search within Results



[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score** **Binder**

Results 1 - 14 of 14 **short listing**

- 1** Using X with the ADA mind-set 84%
 Mike Downs , Judy Duffy , Karen Mackey , Luke Teyssier , Chris Tonas
Proceedings of the conference on TRI-Ada '93 October 1993
- 2** Developing a hypertext help system: a cooperative effort between a software developer and a technical writer 82%
 Phil Herold , Carla Merrill
Proceedings of the 12th annual international conference on Systems documentation: technical communications at the great divide October 1994
- 3** The Importance of the GUI in Cross Platform Development 80%
 Michael Babcock
Linux Journal May 1998
 The fragmentation of development energy into too many GUI toolkits is one of the most serious problems facing the Linux community today
- 4** Visual Ada developer 80%
 Leonid Dulman
Proceedings of the 2002 annual ACM SIGAda international conference on Ada: The engineering of correct and reliable software for real-time & distributed systems using Ada and related technologies December 2002
 Programming language popularity depends not only on its properties and quality, but also on service which the user gets in its environment. Gui and visual developer are important components of IDE (Integrated-Development Environment). Visual Ada Developer (VAD) helps Ada programmers easily create OS independent application, using standard set of components, such as GUI elements, Multimedia elements, Network connections, DB connections and others.
- 5** Full papers: Using mixins to build flexible widgets 80%
 Richard Cardone , Adam Brown , Sean McDirmid , Calvin Lin

Proceedings of the 1st international conference on Aspect-oriented software development April 2002

When it comes to software that runs on devices as varied as cell phones, PDAs and desktops, one size does not fit all. This paper describes how *mixin layers*, a kind of nested generic type, can be used to implement a graphical user interface library that can be configured to run on platforms with widely dissimilar capabilities. We describe the language support needed to incrementally build software in layers, and we describe how crosscutting concerns can be encapsulated within a layer. We ...

6 Student posters: Immersion of Xwindow applications into a 3D workbench 77%



Alexandre Topol

CHI '00 extended abstracts on Human factors in computing systems April 2000

The coexistence of 3D applications within 2D window managers is still difficult. We experiment a real-time immersion of Xwindow applications into a 3D scene and allow minimal interaction with them. We use the Xlib structures and routines to catch the position size, and graphical content of the widgets.

7 The Linux Softsynth roundup 77%



Dave Phillips

Linux Journal May 2003

Volume 2003 Issue 109

Whether you want to emulate a vintage synthesizer or create a totally new sound, there's software to help make it happen.

8 Systems Issues: Rajicon:: remote PC GUI operations via constricted mobile interfaces 77%



Norman Makoto Su , Yutaka Sakane , Masahiko Tsukamoto , Shojiro Nishio

Proceedings of the 8th annual international conference on Mobile computing and networking September 2002

As of now, it is not uncommon for one to use multiple computers in separate places such as at home, office or school. A number of applications currently exist to allow a user to easily access and control these computers remotely via a notebook computer or web page. Unfortunately, even with such solutions, it is rather inconvenient, for example, to try accessing your computer while walking downtown or riding a train. On the other hand, considering that cellular phones have been accepted as multi- ...

9 Profile-directed optimization of event-based programs 77%



Mohan Rajagopalan , Saumya K. Debray , Matti A. Hiltunen , Richard D. Schlichting

ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 2002 Conference on Programming language design and implementation May 2002

Volume 37 Issue 5

Events are used as a fundamental abstraction in programs ranging from graphical user interfaces (GUIs) to systems for building customized network protocols. While providing a flexible structuring and execution paradigm, events have the potentially serious drawback of extra execution overhead due to the indirection between modules that raise events and those that handle them. This paper describes an approach to addressing this issue using static optimization techniques. This approach, which explo ...

10 Linux Journal Archives: A complete listing of articles from issues 1 through 77%



31

Linux Journal December 1996

11 Developing Imaging Applications with XIE

77%



Syd Logan

Linux Journal September 1998

Mr. Logan describes the X Image Extension and show us how to use it--for the experienced C programmer

12 Linux in a Scientific Laboratory

77%



Przemek Klosowski , Nick Maliszewskyj , Bud Richardson

Linux Journal July 1998

The authors tell us how they use Linux daily to fulfill the requirements of their lab

13 LessTif and the Hungry ViewKit

77%



Malcolm Murphy

Linux Journal November 1995

The efforts of the Hungry Programmers are aming the Motif widget set to available users

14 The business of application portability

77%



David Rowley

StandardView June 1996

Volume 4 Issue 2

Results 1 - 14 of 14 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **13** of **1003743** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 An immersive path editor for keyframe animation using hand direct manipulation and 3D gearbox widgets

Osawa, N.; Asai, K.;

Proceedings. Seventh International Conference on Information Visualization, 2003. IV 2003. , 16-18 July 2003

Pages:524 - 529

[\[Abstract\]](#) [\[PDF Full-Text \(411 KB\)\]](#) IEEE CNF

2 Requirements elicitation using visual and textual information

Moore, J.M.; Shipman, F.M., III;

Requirements Engineering, 2001. Proceedings. Fifth IEEE International Symposium on , 27-31 Aug. 2001

Pages:308 - 309

[\[Abstract\]](#) [\[PDF Full-Text \(176 KB\)\]](#) IEEE CNF

3 Sizing and estimating the coding and unit testing effort for GUI systems

Lo, R.; Webby, R.; Jeffery, R.;

Software Metrics Symposium, 1996., Proceedings of the 3rd International , 25-26 March 1996

Pages:166 - 173

[\[Abstract\]](#) [\[PDF Full-Text \(608 KB\)\]](#) IEEE CNF

4 Can XForm transform the Web? Transcending the Web as GUI.II

Khare, R.;

Internet Computing, IEEE , Volume: 4 , Issue: 2 , March-April 2000

Pages:103 - 106

[\[Abstract\]](#) [\[PDF Full-Text \(88 KB\)\]](#) IEEE JNL

5 A component- and message-based architectural style for GUI software
Taylor, R.N.; Medvidovic, N.; Anderson, K.M.; Whitehead, E.J., Jr.; Robbins, J.E.; Nies, K.A.; Oreizy, P.; Dubrow, D.L.;
Software Engineering, IEEE Transactions on , Volume: 22 , Issue: 6 , June 1996
Pages:390 - 406

[\[Abstract\]](#) [\[PDF Full-Text \(2040 KB\)\]](#) IEEE JNL

6 Method of user-customizable GUI generation and its evaluation
Shirogane, J.; Fukazawa, Y.;
Software Engineering Conference, 1998. Proceedings. 1998 Asia Pacific , 2-4 Dec. 1998
Pages:377 - 384

[\[Abstract\]](#) [\[PDF Full-Text \(204 KB\)\]](#) IEEE CNF

7 Eviss: a visual system having a spatial parser generator
Baba, A.; Tanaka, J.;
Computer Human Interaction, 1998. Proceedings. 3rd Asia Pacific , 15-17 July 1998
Pages:158 - 164

[\[Abstract\]](#) [\[PDF Full-Text \(132 KB\)\]](#) IEEE CNF

8 Integrated management of large satellite-terrestrial networks
Baras, J.S.; Ball, M.; Roussopoulos, N.; Jang, K.; Stathatos, K.; Valluri, J.;
MILCOM 97 Proceedings , Volume: 1 , 2-5 Nov. 1997
Pages:383 - 387 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(580 KB\)\]](#) IEEE CNF

9 CoCoon: designing graphic user interfaces using space allocation
La Rosa, E.; Meroni, M.;
Systems, Man and Cybernetics, 1992., IEEE International Conference on , 18-21 Oct. 1992
Pages:662 - 667 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(476 KB\)\]](#) IEEE CNF

10 Creating visual objects by direct manipulation
Tonouchi, T.; Nakayama, K.; Matsuoka, S.; Kawai, S.;
Visual Languages, 1992. Proceedings., 1992 IEEE Workshop on , 15-18 Sept. 1992
Pages:95 - 101

[\[Abstract\]](#) [\[PDF Full-Text \(600 KB\)\]](#) IEEE CNF

11 Dynamic color allocation method for color-mapped displays
Miyamoto, T.; Shirota, Y.; Wakita, Y.; Kunieda, T.;
Communications, Computers and Signal Processing, 1997. '10 Years PACRIM 1987-1997 - Networking the Pacific Rim'. 1997 IEEE Pacific Rim Conference on , Volume: 1 , 20-22 Aug. 1997

Pages:85 - 92 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(548 KB\)\]](#) [IEEE CNF](#)

12 PENGUIN-a Programmable, Extensible, Network Graphical User Interface

Yuh-Tay Liow; Joyce, R.;

Industrial Electronics, Control, and Instrumentation, 1993. Proceedings of the IECON '93., International Conference on , 15-19 Nov. 1993

Pages:109 - 114 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(456 KB\)\]](#) [IEEE CNF](#)

13 A neural network toolbox for application simulation

Lothers, M.; Cox, C.; Martinez, O.; Pap, R.; Thomas, C.;

Systems, Man and Cybernetics, 1992., IEEE International Conference on , 18-21 Oct. 1992

Pages:1351 - 1357 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(680 KB\)\]](#) [IEEE CNF](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved